

Schindler

3000


EU



We Elevate



Schindler



Enhancing the urban
experience by connecting
people to cutting-edge
mobility solutions in buildings





We Elevate

2bi

About Schindler

Our elevators, escalators, and moving walks transport more than 2 billion people up and down buildings and across transit hubs every day. With our customers, we help organize cities: moving people and goods and connecting transportation systems.

Global presence

Approximately 70,000 employees in over 100 countries serve our customers from over 1,000 branch offices worldwide, run production sites in eight countries, and operate six R&D facilities around the world.



Ilion

people every day

Responsibility

We are committed to achieving ambitious short-term climate goals such as transitioning to 100% renewable electricity by 2025 and implementing the ISO 50001 energy management system across all major production sites.

Customer excellence

We're dedicated to customer satisfaction and product excellence, with a focus on delivering exceptional service throughout the life span of your equipment. This commitment helps us build lasting, trust-based relationships with our clients.

Revolutionizing the way we move since 1874

1874

Founded by Robert Schindler and Eduard Villiger in Lucerne, Switzerland

1892

Built first electric elevator with belt drive

1906

Established first international venture in Germany

1936

Installed the first escalator

1974

Expanded to Asia-Pacific with Jardine Schindler joint venture

1980

Established first industrial joint venture of the People's Republic of China with a western company



We are focused on ensuring safety, quality, and customer satisfaction, coupled with unwavering integrity and trust. Built on a legacy spanning five generations, these values form the foundation of our organization.

Leveraging our long history, we stand ready to support customers throughout the entire life span of their vertical transportation systems, ensuring reliability and innovation for years to come.

2024

Launched Schindler Designs, featuring refined interiors and a new digital experience

2009

Introduced our transit management system, Schindler PORT

1990

Developed world's first hall call destination system, Miconic 10

1998

Began operations in Schindler India Pvt.






Product overview

Our future-proof solutions

From small residential buildings to soaring skyscrapers, Schindler elevators are digitally enabled to provide reliable, energy-efficient, and seamless vertical mobility. Our solutions play a pivotal role in enhancing the overall quality of life in urban settings.




5000

Striking, flexible, effective. The Schindler 5000 boasts bold interiors, versatile car sizes, and efficient performance options.

 Max 2.5 m/s  Max 1360 kg  Max 80 m

3000

Stylish, comfortable, essential. The Schindler 3000 is designed for function, simplicity, and style.

 Max 1.6 m/s  Max 1150 kg  Max 75 m




1000

Simple, reliable, compact. The Schindler 1000 is a practical passenger elevator that ensures effortless installation.

 Max 1.0 m/s  Max 630 kg  Max 30 m




7000


Soaring, versatile, trailblazing. The Schindler 7000 redefines mobility in prominent global projects.

 Max 10 m/s  Max 5000 kg  Max 500 m

6000

Unique, powerful, dynamic. The Schindler 6000 provides a superior experience thanks to leading technologies, luxurious finishes, and higher capacities.

 Max 3.0 m/s  Max 2600 kg  Max 150 m



Schindler 3000

Stylish, comfortable, essential –
Enjoy ease at every level with
Schindler 3000.

With distinctive designs and Swiss-engineered components, the Schindler 3000 is a perfect – and practical – solution for residential buildings, hotels and small commercial projects.

Take advantage of leading energy-efficient technologies and digital services, all in one economical package.

Schindler 3000 has been meticulously designed, engineered, and rigorously tested to support seamless and efficient operation throughout your elevator's long lifespan. Offer your passengers a smooth, safe, and comfortable journey.





Ease at every level

The Schindler 3000 seamlessly blends design and technology to offer a reliable, stylish, and eco-friendly experience. Respecting both your budget and the planet while ensuring that every journey is pleasant.

Engineered for value

Our Schindler 3000 elevators are designed to simplify and enhance the passenger experience.

Ecological excellence

The Schindler 3000 elevator features compact, light-weight, and durable components that optimize material usage and energy-efficiency during operation. Energy-efficient solutions, like regenerative drives, as a standard, help the Schindler 3000 achieve an A-class energy classification* and promote a greener urban landscape.

Style that radiates

The Schindler 3000 offers fresh colors, unique textures, and high-end glass finishes to complement the interior of your building. Combine with sustainable flooring, unique ceiling designs, space-enhancing mirrors, and innovative fixtures to achieve the ambiance that fits your building.

Designed for comfort

Crafted to Swiss standards for comfort, the Schindler 3000 offers a tranquil ride tailored for the requirements of low-rise hotel, residential, and small commercial buildings. Additionally, EN81-70 options help to enable a comfortable and simple journey for all users.



Key figures

Capacity	320 - 1150 kg
Travel height	Up to 75 m
Stops	Max 25 stops
Speed	1.0 – 1.6 m/s
Machine room	Machine-room-less
Group size	Up to 8 cars
Entrances	One- or two-sided
Energy efficiency classification	Class A*, according to ISO 25745-2

*The ISO 25745-2 standard regarding energy calculation and classification for lifts (elevators) is established by the International Organization for Standardization (ISO). The ISO 25745-2 standard classes range from "A" to "G", with class "A" being the most energy efficient class. The ISO 25745-2 classification and energy consumption always refers to a specific customer configuration. Usage pattern, load capacity, customer specific options and site conditions influence the final rating.

Optimize your building's potential

Schindler 3000 has excellent options and features to meet the ecological and economical demands of residential, hotel, and small commercial projects. Less space for components, more room for you to use profitably.

Space-saving design

- All main drive, traction and control equipment sits in the shaft, leaving extra space available for more productive purposes
 - A reduced headroom, as an option, maximizes the usable building space
 - Telescopic (T2) doors with flexible left or right openings optimize the shaft dimensions
-

Energy-efficient solutions

- A lubrication-free, gearless machine supports a smooth ride quality
 - Permanent magnet technology, including a stable start without high peak current, helps keep energy consumption low
 - Reduced stand-by power improves energy efficiency
-

Regenerative drive

- Recuperative technology reduces energy consumption and heat dissipation
- Return of regenerated energy to mains power

Future-ready, secure technology

- Control software developed based on the IEC 62443-4-1 ML3 standard for cybersecurity
 - The controller is built directly into a standard door frame at the top landing to simplify the installation, provide easy access, and save space
-

A perfect fit

- Ideal car sizes for space efficiency and a reduced elevator footprint for low-rise buildings
 - Smooth passenger flow with single or double entry options
 - Two distinct fixture lines for an enhanced experience
 - Upscale aesthetics with diverse design options
-

High ride quality

- Schindler's Suspension Traction Media supports a smaller motor and traction sheave – 70% smaller than traditional rope machines – while providing a quiet, smooth ride
- The inverter enables precision stopping accuracy for easy access
- Advanced technology and precise installation methods can limit sound levels to below 50 – 60 decibels (A)*, on average - equivalent to birdsong

The sound of calming birdsong



*For the evaluation methodology, we comply with ISO 18738 standards. However, many factors influence the amount of noise and vibration generated by an elevator.

Elevating sustainability

Innovative solutions for a brighter future

We're committed to providing environmentally friendly solutions that align with our customers' sustainability goals. We continuously strive to innovate and implement sustainable practices so our elevators retain the highest energy efficiency classification.

Environmental Product Declaration (EPD)

Environmental Product Declarations (EPDs) are recognized by green building certification schemes, including LEED, DGNB, and BREEAM, which enable Schindler customers to receive credits for their building certification projects. This is an important step in the assessment of the environmental performance of our products and underlines our continuous efforts toward sustainable solutions. We have registered EPDs at the International EPD® System for all major elevator product lines.

Class A energy efficiency classification*

Regenerative drives, LED lighting, and standby mode are just a few of the standard features in our Schindler 3000 elevator. These solutions not only contribute to reducing the carbon footprint of our elevators but also help conserve energy and lower operational costs for building owners. Additionally, several interior options are made from recyclable or natural materials.

Class A energy efficiency*



*The ISO 25745-2 standard regarding energy calculation and classification for lifts (elevators) is established by the International Organization for Standardization (ISO). The ISO 25745-2 standard classes range from "A" to "G", with class "A" being the most energy efficient class. The ISO 25745-2 classification and energy consumption always refers to a specific customer configuration. Usage pattern, load capacity, customer specific options and site conditions influence the final rating.

User experience

A man in a light blue t-shirt and jeans is walking through a modern, glass-enclosed structure, likely an elevator or a high-end building entrance. The structure features large glass panels and metal frames. The background is slightly blurred, emphasizing the man and the architectural details. The overall aesthetic is clean, modern, and professional.

Bridging the gap between physical and digital – Schindler's fixtures ensure comfort, accessibility, and a sleek design.

erence



Linea 100

Linea 100 offers a functional design in Mercury Brushed Stainless Steel. The integrated black glass display comes with a large, red, LED dot matrix indicator.



Half height car
operating panel



Landing indicator
position & direction




Landing indicator
direction




Landing operating panels


Primea 500

Primea 500 is our sleek black glass digital fixture for buildings with up to 15 floors. It has a 10" inch screen with accessibility-compliant tactile micro movement push buttons.





Half height car operating panel with obsidian black laminate channel cover*




Half height car operating panel surface-mounted

*Channel cover is available in Obsidian Black, as well as various steel colors to match the steel side walls.



Landing indicator position & direction



Landing operating panels

Note: Primea 500 available for buildings with max. 15 stops. LIP display type may differ according to the mounting.

Design

Unleash your
creative vision


Your vision, our expertise

Exceptional design isn't just visually appealing; it evokes emotions and cultivates a positive atmosphere. Schindler Designs offers a carefully curated selection of contemporary colors and materials. We empower you with the freedom to personalize your elevator according to your

unique ideas – from designing the cabin walls, floors, and doors to choosing control panels, handrails, or mirrors. Unleash your creativity and extend your aesthetic into the elevator, crafting an entirely new travel experience for your tenants and guests.

gn









Classic

Add a soft and inviting touch with subtle laminates that feature timeless, harmonious hues or calming neutrals.







Sleek

Create a bright, clean space with stainless steel and monochromatic wall finishes that can also be seamlessly blended into many interior design concepts.










Unique

Create a unique, exciting interior that stands out from the crowd with our textured laminates and vibrant bold colors.



Always in

M



Where service meets excellence

For more than a century, we have focused on supporting our customers across all stages of a project. From design and installation to service and modernization, our professionals are there for you. We combine innovation, technological advances, and smart mobility with high ethical standards and respect for the environment. In the world's growing metropolises, our products and services ensure the quality of urban living for current and future generations.



Working with you every stop of the way

Customer safety is our top priority. That's why Schindler global experts work continuously to ensure a secure and smooth journey for all passengers, from the youngest to the oldest. Our advanced installation techniques and rigorous inspection criteria are designed to deliver the highest level of elevator performance for years to come.

Installation technology

Schindler's INEX (Installation Excellence) method reduces construction preparation and resources for our customers and improves safety and efficiency on-site.

Our Schindler CLIMB Lift is a certified self-climbing vertical transportation system used during the construction phase of a project. It contributes to higher productivity on the jobsite and can later serve as a permanent elevator.

Our autonomous self-climbing robot system – Robotic Installation System for Elevators (Schindler R.I.S.E) – enhances the quality of the elevator installation while maintaining safety on-site.

Streamlined construction

We can provide a Building Information Model (BIM) of your elevator to streamline the construction process. This helps you to minimize the design, engineering, and construction expenses for the overall project.

Quality assurance

Before we hand over the equipment to you, every Schindler elevator undergoes a rigorous inspection for safety and quality - the Schindler Acceptance Inspection Standard (SAIS). More than 1000 safety checks are completed before passengers board the elevator for the first ride. And, it doesn't stop there – regular inspections and quality control measures are in place to ensure your elevator operates safely and reliably throughout its lifetime.

Over
1,000

safety checks are performed
on every Schindler elevator
before your first ride*



*This is the global average based on the the Schindler fulfillment process.

Above and beyond with next generation elevator service

With a new Schindler elevator, your equipment is easy to service and troubleshoot thanks to the latest digital technologies and our global expertise.


Global expertise

With more than 40,000 experts around the world, and a crowd-sourced knowledge-base, we strive to ensure every Schindler customer enjoys industry-leading uptime with minimal disruption.

Lifetime partnership

We go beyond the initial installation of elevators, establishing lasting relationships to provide the highest-quality service and modernization of your elevator in the years to come.

Enjoy an uptime
of up to
99.9
%*




*This is the global average. Planned events (such as inspections) have been excluded from this calculation.

Specifications

Explore your
options

Schindler products and solutions are versatile, innovative, high-quality, and unique. So no matter what your requirements are for your elevator – we have the right model for you.



Schindler Plan & Design



Design your
perfect elevator


Experience all of these interior options in our Schindler Plan & Design tool and find the perfect elevator design for you.



Laminate matt and glossy*




Laminate textured*




*Available with HK ≤ 2139mm

Stainless steel




Back painted glass**



**Available on side wall with Primea 500 based on technical specification

Mirror and glass



Handrails



*Handrail ends will be straight and curved, according to EN81-70.


Handrail finishes




*Only available with the Straight handrail

**Painted color only available with the Linear handrail.


Floors



Skirting and finishes




Ceilings and finishes





Availability depends on car dimension & accessibility code

* Not compliant with EN 81-70:2021 + A1:2022


Finishes



Finishes



Frame



	Side panels width	Top panel height	Depth
Standard frame	120	190	60

Dimensions are in mm

Connecting profile



Linea 100



Primea 500



Schindler Middle East and North Africa

For more information, please contact your local office



Bahrain

Jalal Schindler Lifts & Escalators Co.
W.L.L.

P.O. Box 5963, Manama

Tel. +973 17 714 242

Fax +973 17 717 191

Email: info.bh@schindler.com

Egypt

Schindler Ltd.

1 Aly Rashed St., Star Capital 1, First
Floor, City Stars Complex, Heliopolis,
Cairo, Egypt

Hotline 16 808

Tel. +2 02 248 01 941-42

Email: info.eg@schindler.com

Kuwait

Mass Tech for Elevators and Escalators

P.O. Box 5079, Block 9, Salmiya, Kuwait

Tel. +965 9227 1000

Tel. +965 9227 2000

Fax +965 2574 7002

Email: info@masskw.com

Iraq & Jordan

Schindler for Elevators and Escalators
L.L.C

Ruby 2 Building, Umm Al Sheif, Sheikh
Zayed Road, P.O. Box 115117, Dubai

Tel. +971 4 376 0000

Fax +971 4 380 5502

Email: export.ae@schindler.com

Lebanon

Schindler Lebanon S.A.L.

3rd Floor, Centre Hage,
Main Internal Street, Antelias, Metn
Lebanon

Tel. +961 4 417 750

Fax +961 4 413 750

Email: info@lb.schindler.com

Libya

Altagia Alhadetha Co.

P.O. Box 4184, Benghazi

Tel. +218 61 2236332

Fax +218 61 2224642

Email: info@altagnia.com

Sultanate of Oman

Mass International Co. LLC

P.O. Box 2204, PC-112, Ruwi

Tel. +968 244 87268

Tel. +968 244 87628

Fax +968 244 89708

Email: info@massinternational.om

Palestine

International Elevators Group (IEG)

P.O. Box 3816, Palestine

Tel. +970 2 2403781- 4

Fax +970 2 2403785

Email: info@ieg-pal.com

Qatar

Al Doha Schindler Elevators & Escalators
Co.

WLL 272 Office Bldg, Wholesale Market
St.,

Abu Hamour Area P.O. Box 22127, Doha

Tel. +974 4 451 3801

Fax +974 4 451 3805

Email: info.qa@schindler.com

Saudi Arabia

Schindler Olayan Elevator Co. Ltd.

Ash Shati District, Corniche Road,
Jeddah Square , 1st Floor

P.O. Box 1150, Jeddah

Tel. +966 2 651 5244

Mob. +920010320

Email: info.sa@schindler.com

United Arab Emirates

Schindler for Elevators and Escalators
L.L.C

Ruby 2 Building, Umm Al Sheif, Sheikh
Zayed Road, P.O. Box 115117, Dubai

Tel. +971 4 376 0000

Fax +971 4 380 5502

Email: info.ae@schindler.com

Schindler Middle East & North Africa HQ

Ruby 2 Building, Umm Al Sheif,
Sheikh Zayed Road, P.O. Box 115117

Dubai, United Arab Emirates

Tel. +971 4 376 0000

Fax +971 4 380 5502

Email: info.mena@schindler.com



This publication is for general informational purposes only and we reserve the right at any time to alter the services, product design and specifications. No statement contained in this publication shall be construed as a warranty or condition, expressed or implied, as to any service or product, its specifications, its fitness for any particular purpose, merchantability, quality or shall be interpreted as a term or condition of any service or purchase agreement for the products or services contained in this publication. Minor differences between printed and actual colors may exist.

Released: April 2025